
Version 9



1

.....	1
.....	2
.....	3
/	4
.....	5
.....	7
.....	8
.....	9

11

1

..... 1

..... 2

..... 3

/ 4


..... 5


..... 7


..... 8

..... 9


- CD (<http://www.merak.co.kr>) 가
- SQLite (ex. MS SQL, MySQL, Oracle) MS
 - ODBC ()
 - ODBC IP
- WinRAR ZIP Winzip,
- setup.exe 가







/



Merak Mail Server 8.9.9-1 설치


사용자/회사 정보

아래에서 이름과 메일주소, 회사명을 실제정보로 정확히 입력하십시오. 메일주소는 이 프로그램을 작동시키는데 필요합니다.

사용자 정보

이름:	<input type="text" value="홍길동"/>
E-mail:	<input type="text" value="hong@softmail.co.kr"/>
회사:	<input type="text" value="(주)소프트메일"/>
국가:	<input type="text" value="대한민국"/>

메라크 설치 시스템



가

100

가


MS Access

MS SQL, MySQL, Oracle
ODBC

DNS, IP

The image shows a screenshot of the ODBC Data Source Administrator dialog box, specifically the '1차 연결' (User DSN) tab. The window title is '데이터베이스' (Database). The '1차 연결' section contains the following fields: 'DSN:' with a dropdown menu, '서버:' (Server) with a text input field, '아이디:' (User ID) with a text input field, and '비밀번호:' (Password) with a text input field. Below this, the '데이터베이스' section contains '문법:' (Syntax) and '드라이버:' (Driver), both with dropdown menus set to '기본' (Default). A '연결 테스트' (Test Connection) button is located to the right of these dropdowns. At the bottom of the dialog are '확인' (OK) and '취소' (Cancel) buttons.

ODBC





가

. 가

가

\Program Files\Merak





3 가 가

-
-
-

가

! 가

• 5

• 2

• 1

/ • 4

- 1
- 7
- 8

• 3

• 5, 7